# Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62 13

LIBRARY RECEIVED

★ APR 9 1929



"Delightful oldfashioned flowers"

04

# HARDY PLANTS

A Complete Collection 1929

Grown by

# FRANK JOSIFKO

MADISON . . . CONNECTICUT

# FOREWORD

N PRESENTING this, the Seventh Edition, of my catalogue, I do so with reasonable confidence in the quality of the stock I am growing and offering. My catalogue embraces a most complete and select assortment of the choicest varieties of plants suitable for distinctive and uncommonly beautiful perennial borders and charming rock gardens. The varieties offered have been selected with discrimination and care. They have been grown here in Madison under conditions which assure their reasonable hardiness and adaptability to our climate.

adaptability to our climate.

To my customers and friends of years past, such assurances are unnecessary; to new clients I can only repeat my pledge of former years to the effect that I shall always endeavor to have my stock measure up to the high standard of quality I have set for it, and by so doing to merit a continuance of the patronage I have always enjoyed. I value, as my greatest asset, the patronage of the host of satisfied clients, who, year after year, entrust to me the commissions for their requirements in making their home "A place of beauty and joy forever."

This list cancels all previous offers.

# Read Before Ordering

- **PRICES** quoted in this list are net, and subject to no discounts. My prices are as low as the high quality of my stocks warrants and are consistent with the prices of other reputable firms. **QUALITY** must be considered in comparing prices.
- DERS. To avoid disappointments we urge orders being placed early. All plants are offered subject to being unsold on receipt of order. Please give ex-plicit shipping directions. Write your name and ORDERS. address distinctly.
- tms. Cash with order. Any orders involving other terms must be accompanied by satisfactory references.
- **C.O.D. ORDERS** must be accompanied by a remittance in part payment to guarantee charges. All such orders can only be shipped by express.
- **SMALL ORDERS.** We do not solicit orders for less than \$1.00 and such orders will not be filled unless an allowance for packing be made. Packing charges are made at actual cost.
- stitutions. Unless specifically authorized to do so, no substitutions are made. We suggest, however, that we be instructed to use our judgment in such cases, as often, as the season advances, we may be sold out on some varieties, but we may still have equally choice items available which will prove as good as—and often superior to—the varieties ordered and which cannot be supplied. SUBSTITUTIONS.
- **K.** Shipments travel at purchaser's risk. Our responsibility ceases upon delivery to the transportation company and when we have their receipt for shipment.
- tors. Keep an exact copy of your order. We endeavor to fill all orders correctly. When we are at fault we will make satisfactory adjustment. ERRORS.
- N-WARRANTY. We grow and ship only the best and healthiest plants, but we cannot give any war-ranty as to description or trueness to name, as conditions, climatic and soil, exist over which we NON-WARRANTY. have no control.



Anchusa Myosotidiflora

# Hardy Perennials

CES. 25c ea. for good strong plants; \$2.50 per doz. except where otherwise noted. Extra heavy clumps at correspondingly higher prices. Six of a kind at the dozen rate. Selected varieties, one of each, at the single rate. PRICES.

Varieties preceded by an asterisk (\*) are suitable for use in Rock Gardens.

Varieties preceded by (x) are sold out for this season.

ACHILLEA. Well drained soil in sun. ageratum (Sweet Yarrow). Yellow. 15 in. filipendula (Fernleaf Yarrow). Yellow. 3

3 ft. Pink. roseum (Pink Yarrow). 18 in.

July-Sept. Parker's Variety. Taller; yellow. 2½ ft. June-Sept. Ptarmica, Boule de Neige. Compact. 15 in. June-Sept. Ptarmica, Perry's White. Large; white. 18 in. June-

\*tomentosa (Woolly Yarrow). Bright yellow. 8 in. June.

ACONITUM. Ordinary soil in sun or semi-shade.
autumnale (Autumn Monkshood). Deep blue. 30 cts.
each, \$3 per doz. Sept. 2 ft.
Fischeri Wilsoni (Violet Monkshood). Large; violetblue. \$1 each. 5 ft. Sept.-Oct.
lycoctonum (Wolfsbane). Yellow. 2½ ft. June. 50

each.

cts. each.

Napellus (Aconite). Dark blue. 35 cts. each, \$3.50 per doz. 3 ft. June.

Napellus alba (White Aconite). Light blue. 50 cts. each. 3 ft. June.

Napellus bicolor. Blue and white. \$1 each. June. July. 2 ft.

Pyrenaicum. Clear yellow, 21/2 ft. June. 75c ea.

ACORUS. Moist soil, sun or semi-shade.
Calamus (Sweet Flag). Aromatic rootstock. July.

Calamus variegatus (Striped Sweet Flag). Variegated. July. 2 ft.

ADENOPHORA. Ordinary soil in sun. x Potanini (Bush Ladybell). Pale blue. 1½ ft. July.

ADONIS. Ordinary soil in sun or light shade.
x\*amurensis (Adonis). Large; yellow. Sold out for

\*amurensis flore-pleno. Double; yellow. \$1.00 each

ATHIONEMA. Well drained soil in sun.

x\*grandiflorum (Persian Stone Cress). Rose. Silvergray foliage. 12 in. Sold out for season.

AETHIOPAPPUS. Ordinary soil in sun.

Pulcherrimus. Pinkish white flowers. 1½ ft. June-

Sept. 50c ea Sept. 50c ea. GAPANTHUS. Ordinary soil in sun. umbellatus (African Lily). Blue. 3 ft. July-Aug.

\$1 each. AJUGA. Ordinary soil in sun.

genevensis (Bugie).
Blue. 6 in. May-\*genevensis June.

June.

reptans variegata
(Yellow Variegated
Bugle). Foliage variegated yellow. 6 in. May-June.

\*versicolor (White Variegated Bugle).
Showy. 6 in. MayJune. 40 cts. each.
LLIUM. Ordinary soil

ALLIUM.

in sun. \*cyaneum. Light blue, 12 in. May-June. 40c

\*flavum (Yellow Chive). Yellow. 12 in. June. 35 cts. stellatum. Rose pink flowers. June. 18 in.

40c.

ALTHAEA. (Holly-hocks.) Ordinary soil; sun.
Rosea Double. In many

delightful colors. Rosea Single. In lovely

assortment



cts. per

assortment.

20 cts. each, \$2 per
doz.; extra strong, 30 cts. per doz. \$3.00.

LYSSUM. Well drained soil in sun.
\*argenteum (Silver). Yellow. 12 in. June-July.
\*rostratum (Yellowhead Alyssum). Golden yellow.
12 in. June-July.
\*saxatile compactum (Golden Tuft). Yellow; fragrant. 10 in. April-May.
\*Wulfenianum. Sulphur-yellow. 40 cts. each. 6 in. June.
June.

June

AMPELOPSIS. Ordinary soil in sun.
heterophylla elegans. A vine with pretty variegated foliage. 50c each.

AMSONIA. Ordinary soil in sun or light shade.

Tabernaemontana (salicofolia). (Willow Amsonia.)

Steel-blue. 2½ ft. May-June. 30 cts. each.

ANCHUSA. Well drained, rich soil in sun.

Barrelieri (Early Bugloss). Dark blue; white eye.

2½ ft. May.

2½ ft. May. alica. Dropmore. (Italian Bugloss). Sky-blue, 6 ft. italica.

talica, Pride of Dover. Heavenly blue. June-Sept. 4 ft. 30 cts. each, \$3 per doz.

myosotidiflora (Siberian Bugloss). Rich blue. April-May 12 in 50 cts. each

myosotidifora (Siberian Bugioss). Rich blue. April-May. 12 in. 50 cts. each.

ANEMONE. Rich soil in light shade.

\*hupehensis (Windflower). Pale mauve. 12 in. Aug.-Oct. 35 cts. each, \$3.50 per doz.
japonica alba. Single: white. Sept.-Oct.

—Honorine Joubert. Largest white. 2-3 ft. Sept.-Oct.
—Louis Uhink. White; double. 2-3 ft. Sept.-Oct. 35 each. cts.

-Prince Heinrich. Double; crimson. 2-3 ft. Sept.-Oct. -Queen Charlotte. Semi-double; rare pink. 2-3 ft. Sept.-Oct.

(St. Bruno's Lily). June.

#### ANEMONE (Cont'd.)

NEMONE (Cont a.)
—rubra. Rosy red. 2½ ft. Sept.-Oct.
—Whirlwind. White. 2-3 ft. Sept.-Oct.
\*Pennsylvanica. Fine white. 12 in. May-June. 25c ea.
\*Pennsylvanica. Fine white. 12 in. Violet. 12 in. \*pulsatilla (European Pasqueflower). April-May. 35 cts. each. April-May. 35 cts. each. \*rubra (Red Pasqueflower). 12 in. April-May. 30 cts.

each.

tifolia tomentosa. Pinkish rose. 40 cts. each. vitifolia 2 ft. Aug.-Sept.

All Anemones 30 cts. each, \$3 per doz., except where otherwise noted.

NTHEMIS. Ordinary soil in sun or light shade. tinctoria Kelwayi (Kelway Chamomile). Golder low. 2-3 ft. June-Oct. ANTHEMIS. Golden yel-

tinctoria pallida (Pale Chamomile). Light yellow. 2-3 ft. June-Oct.

Chaste blue.

ft. June-Oct.

ANTHERICUM liliastrum (St. Bruno's White. 2 ft. 30 cts. each.

AQUILEGIA. Well drained soil in sun.

\*Alpina (Alpine Columbine). Chaste June. 30c ea.

\*caerulea (Colorado Columbine). Blue long-spurred. 2 ft. May-June. 35 cts. chrysantha (Golden Columbine). Ye spurred. 3 ft. June-July.

Skinner (Mexican Columbine). Long-sj Blue and each. Yellow; long-

ARABIS.

spurred. 3 ft. June-July.

Skinneri (Mexican Columbine). Long-spurred. Reddish orange. 2½ ft. June.

vulgaris (European Columbine). Single and double; violet-blue. 2-3 ft. May-June.

vulgaris nivea (White European Columbine). Low; white. 2½ ft. May-June.

RABIS. Well drained soil in sun.

\*alpina (Alpine Rock Cress). White. 5 in. April-May.

\*alpina flore-pleno (Double Alpine Rock Cress). Double. 6 in. May. 50 cts. each.

\*alpina rosea. Light pink. 6 in. May. 35 cts. each.

**ARCTOSTAPHYLOS.** Sandy acid soil in semi-shade. \*Uva-ursi (Bearberry). Trailing evergreen. Flowers white, followed by large red berry. 50 cts. each.

\*montana (Mountain Sandwort). White. 4 in. April-May. 30 cts. ea.

\*verna (Tufted Sandwort). White. 1-2 in. May-Aug. 30 cts. each

30 cts. each.

\*bulbosum variegatum (Variegated Oatgrass). Green and white leaves. 12 in.

ARTEMISIA. Ordinary soil in sun.
Abrotanum (Southernwood). Aromatic odor. 2-3 ft.
Absinthium (Common Wormwood). Medicinal quali-

Absinthium (ties. 2-3 ft. (Tarragon). True. Many culinary uses. Dracunculus 3 ft. 35 cts. each. lactiflora (White Mugwort). Creamy white; fragrant.

4-5 ft.

Stelleriana (Beach Wormwood). Silvery cut foliage.

ASCLEPIAS. Ordinary soil in sun.
tuberosa (Butterfly Weed). Orange. Showy. 2 ft.
July-Aug. 35 cts. each.
ASPERULA. Ordinary soil in light shade.
bexaphylla (Misty Woodruff). Used for bouquets instead of Baby's Breath. Scented. 2½ ft. June-July.
\*odorata (Sweet Woodruff). Fragrant leaves. White. 1 ft. July.

1 It. July. **ASTER** (Michaelmas Daisy). Rich soil in sun.

(Italian Aster). Early; pink-lavender. 2 ft. Amellus (Italian Aster). Early; pink-lavender. 2 ft. Aug.-Sept. 30 cts. each.

-King George. New. Large; bluish violet. 2 ft. Aug.-Sept. 50 cts. each, \$5 per doz.

-Perry's Favorite. Pinkish; early. 2½ ft. Aug.-Sept. 30 cts. each.

-preciosa. Deep violet. 2 ft. Aug.-Sept. 40 cts. each.
-rosea. Pink. 2 ft. Aug.-Sept. 30 cts. each.
-Wienholtzi. Light rose. 2½ ft. Aug.-Sept. 30 cts. -rosea. each.

Enfante de Vetry. Sept. 35 cts. each. Semi-double; lilac-mauve. 21/2 ft. ASTERS (Cont'd.)

japonica alba plena. Double; white. Sept.-Oct.
\*—Mauve Cushion. Mauve. 9 in. Oct-Nov.
—Lutetia. Beautiful yellow-lavender. 2-3 ft. Sept.-

- Oct.
- novae-angliae, Beauty of Castille. Dark purple. 31/2-4 ft. Sept.-Oct.
  —Mrs. S. T. Wright. Rosy purple. 4 ft. Sept.-Oct.
  novi-belgi, Climax. Lavender blue. 3 ft. Aug.-Oct.

- -Grace Sweet. Dark lavender blue. 4 ft -Thelma Perry. Pink. 4 ft. Aug.-Sept. -White Climax. White. 3 ft. Aug.-Oct. ataricus. Bluish violet. 5-6 ft. Oct.
- tataricus.

- ASTILBE. Moist ground in sun or semi-shade.
  Arendsi, Ceres. Light rose, silvery sheen. 2½ ft.
  July-Aug. 50 cts. each, \$5 per doz.
  —Moerheimi. Creamy white. Late. 4 ft. Aug.-Sept.
  60 cts. each, \$6 per doz.
  —Princes Inline

  - -Princess Juliana. Soft pink. 2 ft. July. 50 cts. each.
  - —Queen Alexandra. Deepest pinkish red. 2 ft. July-Aug. 50 cts. each, \$5 per doz.
    —Salland. Distinct red. Late. 4 ft. Aug.-Sept. 60 cts. each, \$6 per doz.
    —W. E. Gladstone. Large; white. 2-2½ ft. July. 50 cts. each, \$5 per doz.
- AUBRIETIA.
- UBRIETIA. Ordinary soil in light shade.
  \*deltoidea graeca. Purplish blue. 6 in. April-May. 30 cts. each. \$3 per doz.
  - \*Mixed Hybrids. Mixture of large-flowering varieties. April-May. 30 cts. each, \$3 per doz.
- BAPTISIA. Ordinary soil in sun. australis (False Indigo). Dark blue. 3-4 ft. May-July.
- **ELAMCANDA.** Ordinary soil in sun. **chinensis (Pardanthus chinensis).** (Blackberry Lily.) Orange. 3 ft. July-Aug. BELAMCANDA.
- \*\*BELLIS. Ordinary soil in sun or light shade.

  \*\*perennis\* (English Daisy). Double; white and pink.

  5 in. May-June. 10 cts. each, \$1 per doz.
- BOCCONIA. Ordinary soil in sun or light shade. cordata (japonica). (Pink Plume Poppy). Pinkish cordata (japonica). (Pink white. 6-8 feet. July-Aug.
- **BOLTONIA.** Ordinary soil in sun. asteroides (White Boltonia). White. 4½-5 ft. Aug.
  - latisquama (Violet Boltonia). Pink, tinged lavender. 4-5 ft. Aug.-Sept.
- BUDDLEIA. Well drained soil in sun.

  Davidi magnifica (Butterfly Bush). Lilac-mauve. A superb shrub. 50 cts. and \$1 each.
- BUPHTHALMIUM.
- **UPHTHALMIUM**. Ordinary soil in sun. salicifolium (Willowleaf Ox-eye). Ye Yellow. 11/2 ft. June-July
  - speciosum (cordifolium). (Hyellow. 3-4 ft. June-July. (Heartleaf Ox-eye). Large;
- **CALAMINTHA.** Ordinary soil in sun. \*satureia alpina. Purple. 6 in. Ju

CALIMERIS.

- - ALIMERIS. Ordinary soil in sun. incisa. Light purple, yellow stamens. 2 ft. July-Aug.
- \*involucrata (Low Poppy Mallow). Center. 12 in. June-Sept. Crimson; white
- CALLUNA. Peaty soil in semi-shade.
  \*vulgaris nana (Moss Heather). 6 in. July. 75 cts.
- CAMASSIA. Ordinary soil in sun or semi-shade. esculenta (quamash). Light blue. 2½ ft. May-June.

  - 30 cts. each.

    leichtlini (Camas). Yellow, star-like flowers; early.
    3-4 ft. May-June. 50 cts. each.

    leichtlini alba. Creamy white, star-like flowers. 3 ft.

    May-June. 60 cts. each.



CAMPANULA PORTENSCHLAGIANA

CAMFANULA. Well drained soil in sun. alliariaefolia (Spurred Bellflower). White. 2 ft. July. 30 cts. each, \$3 per doz. \*carpatica (Carpathian Bellflower). Light blue. 6 in.

July-Aug.

July-Aug.
scarpatica alba. White. 6 in. July-Aug.
glomerata. Purple. 1½ ft. June-July.
glomerata superba (Showy Cluster Bellflower). Clusters of deepest blue. 30 cts. each. 1½ ft. June-July.
x lactiflora (Milky Bellflower). Bluish white. Soid for season 0111

out for season.

latifolia macrantha (Royal Bellflower). Purple. 3 ft.
June-July.

Medium (Canterbury Bells). Blue, Rose, and White.
2 ft. June.

Medium calycanthema (Cup-and-Saucer Bellflower).

In Blue, Lilac, Rose, and White. 2 ft. June.
persicifolia (Peachleaf Bellflower). Blue. 2 ft. JuneTuly July

persicifolia alba. White persicifolia Moerheimi. White. 2 ft. June-July. neimi. White; double. 35 cts. each.

persicifolia Moerheimi. White; double. 35 cts. each. 2 ft. June-July.

\*Portenschlagiana (Dalmatian Bellflower). Dark blue. 5 in. May-June. 50 cts. each. punctata (nobilis). (Spotted Bellflower). Spotted purplish rose; distinct. 30 cts. each. 2 ft. June-July. pyramidalis (Chimney Bellflower). Blue and white. 4-5 ft. Aug.-Sept.

\*rotundifolia (Harebell). Blue. 1 ft. June-Aug. trachelium (Coventry Bells). 2-3 ft. June-July.

CANNAS. We offer only the best varieties and the most desirable colors. Prices according to the variety.

CAREX. Ordinary soil in semi-shade.
\*Morrowi foliis variegatis. Yellow variegated foliage. 1 ft.

\*ARLINA. Well drained soil in sun.

\*acanthifolia. Yellow. 6 in. June-July. 30 cts. each.

\*acaulis. White. 6 in. June-July. 30 cts. each. CARLINA.

CARYOPTERIS. Ordinary soil in sun. incana (mastacanthus). (Bluebeard). Lavender-blue. 3-4 ft. Sept.-Oct. 50 cts. each.

CASSIA. Ordinary soil in sun.
Marilandica (Wild Senna). Yellow and bronze. 3-4 ft.

June-Sept.

CATANANCHE. Ordinary soil in sun. caerulea (Blue Cupid's Dart). 2 ft. June-Aug. caerulea bicolor. White and blue. 2 ft. June-Aug.

CEDRONELLA. Ordinary soil in sun. cana (Hoary Cedronella). Crimson. 2½ ft. July-Oct. 35 cts. each.

CENTAUREA. Ordinary soil in sun. x babylonica (Syrian Centaurea). White foliage; yellow flowers. 5-6 ft. July. Sold out. Clementei (Spanish Centaurea). Plant densely white

and woolly. 3 ft. dealbata (Persian Centaurea). Rose. 1½ ft. July-Aug. macrocephala (Globe Centaurea). Yellow. 3 ft. July-Aug.

montana (Mountain Bluet). Violet-blue. 2 ft. Sept.

montana alba. White. 2 ft. June-Sept. montana rosea (Rose Centaurea). Rose. 1½ ft. June-Sept.

ruthenica (Ruthenian Centaurea). Sulphur-yellow. 3 ft. July. 35 cts. each.

CENTRANTHUS. Ordinary soil in sun. ruber (Jupiter's Beard). Crimson. 3 ft. June-July. ruber albus. White. 3 ft. June-July.

CEPHALARIA. Ordinary soil in sun. alpina. Delicate sulphur-yellow. 5 tatarica. Yellow. 5-6 ft. June-July.

ERASTIUM. Ordinary soil in sun. \*Biebersteini (Taurus Cerastium). White. 6 in. May-CERASTIUM. June \*tomentosum (Snow-in-Summer). White. 6 in. May-

CERATOSTIGMA. Ordinary soil in sun.
\*plumbaginoides (Larpente Plumbago). Deep blue. 6-8 in. Aug.-Sept.

HIERANTHUS. Well drained soil in sun.
\*allioni (Walliflower). Orange shade. 1 ft. June-July.
Cheiri (Common Walliflower). Shades of yellow,
brown, and purple; single and double. June-July. CHIERANTHUS.

**HELONE.** Ordinary soil in sun. glabra (Turtlehead). Reddish flowers. 2-3 ft. Aug.-CHELONE. Sept.

glabra alba. White. 2-3 ft. Aug.-Sept. Lyoni Hybrids. Many shades. 2-3 ft. Aug.-Sept.

CHIVES (Herb). Used in the kitchen.

CHRYSANTHEMUM. Rich soil in sun.
arcticum (Arctic Chrysanthemum). Late fall; white.
1-1½ ft. Sept.-Oct.

arcticum roseum (Pink Arctic Chrysanthemum). Pink. 1-1½ ft. Sept.-Oct. 1-1½ ft. Sept.-Oct. balsamita (Tanacetum balsamita). (Costmary). Fra-

grant leaves. 2-3 ft.

coccineum roseum (Pyrethrum roseum).

Lady). Showy blooms. 2½ ft. May-Jun
maximum, Alaska. Called Shasta Daisy. W (Painted May-June. Daisy. White. 2 ft.

July-Sept.

nipponicum (Nippon Ox-eye Daisy). White. Single.

uliginosum (Pyrethrum uliginosum). (Giant Daisy).

White daisy with yellow center. 4-5 ft. Aug.-Sept.

indicum (japonicum). (Mother Chrysanthemum).

Only the best hardy varieties, distinctive in color, grown

Rrown:
Alice Howell. Orange. 3 ft. Oct.
Brown Bessie. Pompon. Bronze-red. 2 ft. Oct.
Cranford's White. 2 ft. Oct.
Davenport. Pink. 3 ft. Oct.-Nov.
Harvest Moon. Yellow. 1 ft. Oct. 15th.



CYCLAMEN HEDERAEFOLIUM (Page 10)

CHRYSANTHEMUM (Cont'd.)

Idolf. Salmon-pink. 2 ft. Sept.-Oct.

L'Argentuillais. Deep chestnut. 2 ft. Oct.

Lillian Doty. Pompon. Shell-pink; early. 3 ft. Oct.

Maduse. Terra-cotta. 2½-3 ft. Oct.

Maid of Kent. Pompon. White, later becoming pinkish. 2½-3 ft. Oct.

Marie Dupont. White; large; very early. 3 ft. Sept.

Mme. Auguste Nonin. Delicate pink. 2½-3 ft. Sept.-Oct.

Mrs. H. Harrison. Pompon. Pink. 3 ft. Oct.

Normandie. Delicate pink. 1½ ft. Sept.

October Gold. Orange-yellow. 2 ft. Oct.

Ruth Cummings. Reddish bronze. 2½ ft. Sept.-Oct.

Skibo. Pompon. Old-gold-yellow. 1-2 ft. Oct.

Tints of Gold. Yellow. 1-2 ft. Sept.

Western Beauty. Pink. 2-2½ ft. Sept.-Oct.

Yellow Normandie. 2½-3 ft. Oct.

CIMICIPUGA. Acid soil in shade.
foetida simplex (Bugbane). Late-blooming; white
spikes. 2-3 feet. July. 50 cts. each, \$5 per doz.
racemosa (Cohosh Bugbane). Creamy white. 4-6 ft.
July-Sept. 35 cts. each.

CLEMATIS. Ordinary soil in sun.
heracleaefolia Davidlana (Tube Clematis). Lavenderblue. 3 ft. Aug.-Sept. 50 cts. each.
integrifolia. Showy blue. 2 ft. July. 50 cts. each.
x orientalis (Oriental Clematis). Yellow. Climbing
vine. 50 cts. each. Sold out for season.
paniculata (Sweet Autumn Clematis). White, fragrant flowers. A climbing vine. 50 cts. and \$1 each.
recta. White. 4 to 6 ft. July-Sept. 50 cts. each.
viticella (Italian Clematis). White. 60 cts. each.

CODONOPSIS. Well drained soil in sun.
\*(Glossocomia) clematidaca. Light blue. 1 ft. 50 cts.
each.

**CONVALLARIA.** Moist soil in light shade. \*majalis (Lily-of-the-Valley). White, wax-like, drooping blooms. 9 inches. May-June.

COREOPSIS. Ordinary soil in sun. lanceolata (Tickseed). Golden yellow. 2 ft. June-Oct. lanceolata flore-pleno. Semi-double. 2 ft. June-Oct.

35 cts. each. verticillata (Threadleaf Coreopsis). Small, yellow flowers. 2 ft. July-Aug.

CORONILLA. Ordinary soil in sun. varia (Crown Vetch). Bright pink. 1-2 ft. June-Oct.

CYCLAMEN. Leafmold soil in shade. x\*europeum (European Cyclamen). Purplish red. 6 in. Sept.-Oct. Sold out for season. \*Macrophyllum. Larger than hederaefolium. Summer.

\$1.00 each.

\*Neapolitanum (hederaefolium). Red. 6 in. Sept.-Oct. \$1 each.

**CYANANCHUM.** Ordinary soil in sun. acuminatifolium (Mosquito Trap). White. 11/2 ft. June.

DAHLIA. Good roots 25 cts. up, according to the variety.

**DAPHNE.** Moderately rich soil in light shade.
\*Cneorum (Garland Flower). Sweet-scented; bright pink flowers in May, scattering bloom all summer. A splendid rock garden shrub. \$1, \$2, and \$3 each and up.

DELPHINIUM. Rich soil in sun.

English Hybrids. Choicest single and double. 4-6 ft. June-Sept. 50 cts. and \$1 each. formosum, Belladonna. Sky-blue. 3 ft. June-Oct. grandiflorum (Siberian Larkspur). Dwarf; blue. 2 ft. June-Oct.

grandiflorum album. White. 2 ft. June-Oct. x Moerheimi. Best white. Sold out for season. Wrexham Hybrids. A superb variety in many choice shades. Each, \$1.00; Doz. \$10.00.

**DESMODIUM.** Well drained soil in sun. **pendulifiorum** (Pea Shrub; Tick Clover). Rose-purple.
Aug.-Oct. 50 cts. and \$1 each.

DIANTHUS. Moderately rich soil in sun.
\*Alwoodi, Harold (Pink Carnation). White; double.
12 in. May-Sept. 35 cts. each.
\*—Jean. White, with crimson centers. 12 in. May-

12 in. May-sept. 3. C...

\*Jean. White, with crimson centers. 12 in. May-sept. 35 cts. each.

\*—Mary. Pink, maroon center; double. 12 in. May-sept. 35 cts. each.

\*—Robert. Rose, maroon center; single. 12 in. May-sept. 35 cts. each.

\*barbatus (Sweet William). Single and double flowers in most beautiful shades. 18 in. June-July. 20 cts. each, \$2 per doz.

\*caesius (Cheddar Pink). Very low-growing; pink. 5 \*caesius (Cheddar Pink). Very low-groin. May-July. 35 cts. ea.

\*carthusianorum (Carthusian Pink). June-July. 30 cts. each.

\*deltoides (Maiden Pink). Small; pink

Red.

Small; pink. 6 in. June-

July. -Brilliant. Brilliant carmine. 6 in. Creeping. June-

July. Each, 30c. hybridum, Wienna. Perfectly hardy Carnation. 1½ ft. July.

x Napoleon III. Double; dark crimson. 1½ ft. July. 50 cts. each. Sold out. plumarius (Grass Pink). Brilliant color combination;

plumarius, (Grass Pink). Brilliant color combination; fragrant. 1 ft. May-June. plumarius, Rose de May. Double; pink. 1 ft. May-June. 35 cts. each.

White Reserve. White; double. 1½ ft. June-July.

35 cts. each.



DIANTHUS CAESIUS

DICENTRA. Ordinary soil in sun or light shade.

\*eximia (Fringed Bleeding-Heart). Rose. 1 ft. All summer.

\*spectabilis (Bleeding-Heart). Heart-shaped pink flowers. 1-2 ft. May-July. \$1 each.

DICTAMNUS. Ordinary soil in sun.

Fraxinella albus (Gas Plant). White. 2-3 ft. June-July. 50 cts. and \$1 each.

albus ruber. Rose-pink. 3 ft. June-July. 50 cts. and \$1 each.

DIGITALIS. Moderately rich soil in sun.

ambigua (Yellow Foxglove). Pale yellow. 2-3 ft. June-July.

purpurea, Mixed. White, Rose, Lilac, and Purple. 2-3
ft. June-July.

DORONICUM. Ordinary soil in sun.

caucasicum (Caucasian Leopard's Bane). Bright yellow. 2 ft. May-June. 30 cts. each.

Clusi (Downy Leopard's Bane). Yellow, 1 ft. April-June. 30 cts. each.

magnificum (Sunflower Leopard Bane). 3 ft. May-June. 50 cts. each.

plantagineum excelsum. Brightest yellow, 2 ft. April-May. 30 cts. each.

DRABA. Well drained soil in sun.

x\*athoa. Yellow; low. Sold out for season.

\*verna (Whitlow Grass). Arabis-like white flowers. 4 in. April-May.

ECHINACEA. Rich soil in sun.

purpurea (Hedge-hog Coneflower). Reddish purple.
3-4 ft. July-Aug.

ECHINOPS. Ordinary soil in sun.

humilis (Globe Thistle). Low; light blue. 3 ft. July-Aug.

Ritro (Steel Globe Thistle). Metallic blue. 3-4 ft. July-Aug.

sphaerocephalus (Common Globe Thistle). Purplish
white. 4-5 ft. July-Aug.

ELSHOLTZIA. Ordinary soil in sun.
Stauntoni. Lilac-rose flowers. Foliage has a delightful aromatic fragrance. 50 cts. each, \$5 per doz.

ELYMUS. Ordinary soil in sun. canadensis glaucifolius (Wild Rye). Narrow, glaucous foliage. 3 ft. 35 cts. each.

\*macranthum niveum (Barrenwort). White. 9 in.

May-June. 40 cts. each.

\*macranthum roseum. Red. 9 in. May-June. 30c ea.

\*sulphureum. Pale yellow. 9 in. April-June. 35 cts. each.

ERIANTHUS. Well drained soil in sun.
Ravennae (Ravenna Grass). Resembles the Pampas
Grass. 5-7 ft. 50 cts. each.

\*\*ERIGERON. Ordinary soil in sun.
\*\*alpinus (Fleabane). Purple-blue. 9 in. June-July.
30 cts. each.
\*\*aurantiacus. Orange. A showy plant. 9 in. July-

Aug

Aug.
Coulteri. White. 15 in. July.
glaucus. Rosy purple. Very handsome. 2 ft. June-July.
speciosus. Purple. Very handsome. 2 ft. June-July.
2½ ft. June-July.

**ERODIUM.** Well drained soil in sun.
\*Manescavi (Heron's Bill). Purplish red. 12 in. July. 30 cts. each.

**ERYNGIUM.** Ordinary soil in sun or semi-shade. amethystinum (Amethyst Eryngo). Amethystine blue. 3-4 ft. June-Sept. \*maritimum. Glaucous blue foliage. Pale blue blooms.

3 ft. July-Aug. Sold out.

Oliverianum. Blue. 2 ft. July-Aug. 50 cts. each.
planum. Blue. 2 ft. July-Sept.

ERYSIMUM. Dry soil in sun.

\*pulchellum (Blister Cress). Bright yellow. June-July.
\*rupestre (Asiatic Blister Cress). Deep orange. 8 in.

May-June. 30 cts. each.

EUONYMUS. Ordinary soil in sun or light shade.
radicans (Winter Creeper). Vine. Dull green leaves.
35 cts. each.

Variegated foliage. radicans argenteo-variegata.

cts. and \$1 each.
radicans kewensis (Baby Wintercreeper). 50 cts. each.
radicans vegetus. Glossy foliage. 50 cts. each.

EUPATORIUM. Ordinary soil in sun. coelestinum (Mist Flower). Light cutting. 2 ft. Aug.-Oct. urticaefolium (ageratoides). (Snow White. 4 ft. July-Aug. blue. Good for (Snow Thoroughwort).

EUPHORBIA. Ordinary soil in sun. corollata (Flowering Spurge). Not unlike gypsophila; small white flowers with green eye. 2-3 ft. July. epithymoides (polychroma). (Cushion Spurge). Chrome-yellow. 2 ft. April-May. 50 cts. each.

**PESTUCA.** Ordinary soil in sun. \*glauca (Fescue Grass). Glaucous green. 9-12 in.

PILIPENDULA. Ordinary soil in sun.

hexapetala flore-pleno (Double Dropwort). White. 1½
ft. May-June.

palmata (Siberian Meadowsweet). Pink. 2 ft. June-July.

venusta (Carmine Meadowsweet). 4 ft. June. rubra

35 cts. each.
Ulmaria flore-pleno (Double European Meadowsweet). White. 4-5 ft. July-Aug.

Moderately rich soil in sun. andiflora). (Blanket Flower). Mixed GAILLARDIA. aristata (grandiflora). (Bla colors. 1-2 ft. All summer.



GEUM. HELDREICHI

ALEGA. Ordinary soil in sun.
officinalis (Goat's Rue). White. 3-4 ft. July.
officinalis Hartlandi Pale blue. 3-4 ft. July.
officinalis Hartlandi rosea-plena. Double; rose-lavender. 3-4 ft. July. 30 cts. each. GALEGA.

GALTONIA. Ordinary soil in sun.
candicans (Summer Hyaofinth). Bell-shaped white
flowers. 3 ft. Aug.-Sept. 20 cts. each, \$2 per doz.
GAULTHERIA. Acid soil in shade.
\*procumbens (Wintergreen). Evergreen. White flowers, followed by red berries. 3-6 in. May-June. 35
cts. each.

GAURA. AURA. Ordinary soil in sun. Lindheimeri. White, butterfly-like flowers. 3 ft. June to fall.

GENTIANA. Gritty peaty soil in sun or light shade.
\*acaulis (Stemless Gentian). Blue. \$1 each.
Andrewsi (Closed Gentian). Deep blue. 30 cts. each.
1-2 ft. Aug.-Sept.
\*cruciata (Cross Gentian). Dark blue. \$1 each.
\*Transpirate (Erroymen's Contian). Plue. \$1 each. \*Freyniana (Cross Gentian). Dark blue. \$1 each.
\*Freyniana (Freyman's Gentian). Blue. \$1 each.
\*Przewalski. Brilliant blue. 50 cts. each. July. 6 in.
x\*septemfida cordifolia. Blue. Sold out for season.
x\*tibetica. White. Sold out for season.
\*Walnjewi (Walujew's Gentian). White, dotted with blue. 15 inch. 60 cts. each.

ERANIUM. Well. 3

GERANIUM. Well drained soil in sun.
nepalense. Deep pink. Large flowers. 1½ ft.
\*sanguineum. Bright crimson. 2 ft. May-Aug.
\*—album (Crane's Bill). White. 1 ft. May-'uly.
\*—lancastriensis. Light pink. 6 in. July-Aug. 30 cts. each.

**GERARDIA.** Ordinary soil in sun or light shade. grandifiora. Pretty pink, like small foxgloves. 18 in. Summer. 30c each.

GERBERA. Ordinary soil in sun.

Jamesoni (Transvaal Daisy). Beautiful colors of rich texture. 2½ ft. Aug.-Sept. 75 cts. each. Protection

GEUM. Ordinary soil in sun. atrosanguineum (Avens). Blood-red. 1-2 ft. May-June June.
bulgarioum (Bulgarian Avens). Showy red-orange.
1 ft. July-Aug. 30 cts. each.
chiloense. Mrs. Bradshaw. Orange-red; half-double.
2 ft. June-Sept. 35 cts. each, \$3.50 per doz.
Heldreichi. Orange. 1½ ft. May-July.
Lady Stratheden. New. Double; yellow. 2 ft. June-Sept. 40 cts. each.



GENTIANA ACAULIS

GILLENIA. Ordinary soil in sun. trifoliata (Bowman's Root). White, tinged pink. 3 ft. May-July. 35c each.

ADIOLUS. 40 cts. per doz. and up, according to variety and size of bulbs. GLADIOLUS.

**GLOBULARIA.** Ordinary soil in sun. \*trichosantha (Globe Daisy). Blue flowers in globular heads. 6 in. May-June. 30 cts. each.

ASSES. For the collection see general arrangement in alphabetical order. GRASSES.

GYNERIUM. Rich soil in sun. argenteum (Pampas Grass). Very attractive. 6 ft. Aug.-Oct. \$1 each.

GYPSOPHILA. Ordinary soil in paniculata (Baby's Breath). pearance. 2-3 ft. June-July. paniculata flore-pleno. Littl Ordinary soil in sun. Plant of gauze-like ap-

pearance. 2-3 ft. June-July.
paniculata flore-pleno. Little, double rosette-like
flowers. 2-3 ft. July-Aug. \$1 each.
Rokejeka. Pink. July-Aug. 3 ft. 30 cts. each.
paniculata flore-pleno, Bristol Fairy. White; extra
double. Very choice. \$1.00 each.
Ehrlei. White, extra double, blooms all season. 2-3
ft. \$1.00 each.
\*\*Tenens.\*\* (Creening Baby's Breath). White 6 in June-

\*repens (Creeping Baby's Breath). White. 6 in. June-

July. 30 cts. each.

\*repens rosea (Creeping Baby's Breath). Low; pink.
6 in. June-July.

**HEDERA.** Cool soil in semi-shade. **helix** (English Ivy). Effective for covering walls, etc. cts. up, according to sizes.

**HELENIUM.** Ordinary soil in sun. autumnale (Sneezeweed). Golden yellow. 4-6 ft. Aug.-

Sept. Aug.-Sept.

autumnale rubrum. Terra-cotta. 4 ft. Au Bolanderi. Yellow, dark disk. 2½-3 ft. July-Sept. 30 cts. each.

Hoopesi. Orange-yellow. 3 ft. May-Aug.

HELIANTHEMUM. Well drained soil in sun \*Chamaecistus grandiflorum (Sun Rose). Single and double flowers, in white, pink, red, and yellow. 6-8 in. June-July. 30 cts. each.



HELIANTHEMUM (Sunrose)

HELIANTHUS. Ordinary soil in sun.

Miss Mellish (Sunflower). Rich yellow. 6 ft. Sept.

multiflorus flore-pleno. Double; yellow with orange
sheen 4-5 ft. Aug.-Sept.

orgyalis. Graceful flowers of golden yellow. 6-8 ft.
Sept.
Soleil d'Or. Golden yellow. 4-5 ft. Aug.-Sept.

**HELIOPSIS.** Ordinary soil in sun. **helianthoides Pitcheriana** (Pitcher Heliopsis). Golden yellow. 3-4 ft. July-Sept. **scabra zinniaefora** (Zinnia Heliopsis). Semi-double; yellow. 2-3 ft. July-Sept.

HELLEBORUS. Rich soil in semi-shade.
\*niger (Christmas Rose). White: leaves evergreen.
1 ft. Feb.-March. \$1 each.

HEMEROCALLIS. Ordinary soil in sun.
aurantiaca (Orange Day Lily). 3 ft. July.
flava (Lemon Day Lily). Lemon-yellow; fragrant.
3 ft. May.
fulva (Tawny Day Lily). For naturalizing. 2-3 ft.
July.
fulva Kwanso flore-pleno. Orange-red; semi-double.
2-3 ft. July-Aug.
luteola (Golden Day Lily). Yellow. 4 ft. July.
Middendorffi. Golden yellow. 2-3 ft. June-July.
Orange Man. Good. 2-3 ft. July.
Any of above 30 cts. each

HERNIARIA. Ordinary soil in sun.
\*glabra (Burstwort). Tiny creeper, foliage turns red
in winter. 1 inch.

HEPATICA. Acid soil in shade.
\*triloba (Roundlobe Hepatica). Light blue. 6 in.
April-May. 30 cts. each.

MESPERIS. Ordinary soil in sun.
 matronalis (Dame's Rocket). White or pink. 2-3 ft.
 June-July.
 nivea. Very rare and choice. White. 15 in. June.
 40c ea.

HEUCHERA. Ordinary soil in sun.

americana (American Alum Root). Foliage ornamental. 1½-2 ft. July.
brizoides (Pinkbells). Carmine-rose. 1½ ft. June-Aug.

\*sanguinea (Coralbells). Bright coral-red. 15 in.
June-Sept. 30 cts. each.

\*sanguinea alba. Creamy white. 15 in. June-Sept.

HIBISCUS. Ordinary soil in sun or light shade. grandiflorus (Great Rose Mallow). Shades of white, pink, red, and crimson. 4-6 ft. Aug.-Sept. Moscheutos (Common Rose Mallow). Light rose. 5-6 ft. Aug.-Sept.

HOSTA (Funkia). Ordinary soil in sun. caerulea (Blue Plantain Lily). Light blue. Leaves have bluish sheen. 1-2 ft. July-Aug. Fortunei. Flowers mauve; metallic blue foliage. 1 ft.

July-Aug.
ancifolia. Lilac; narrow green leaves. 2 fralbo-marginata. Leaves margined white.
-aureo-maculata. Yellow marking. 1-2 ft. lancifolia.

-undulata. White-and-green variegated foliage. 1-2

plantaginea (White Plantain Lily). Wh flowers, 2 ft. 30 cts. each, \$3 per doz. White, scented

HYDRANGEA. Ordinary soil in sun.
hortensis. Different sizes in the best varieties, 50 cts.
to \$5 each, and higher, according to size.

HYPERICUM. Well drained soil in sun.
Elegans. Yellow. 1 ft. June. 30 cts. each.
Moserianum (Gold Flower). Golden yellow. 1½ ft.
June-Sept. 50 cts. and \$1 each.
\*repens (Creeping Gold Flower). Prostrate trailer,
very choice. July. 35 cts. each.

HYSSOPUS. Ordinary soil in sun. officinalis (Hyssop). Low green bush; scented leaves. officinalis rosea. Rose-pink. 1-2 ft. June-Aug. 30 cts. each.

BERIS. Ordinary soil in sun. \*gibraltarica (Gibraltar Candytuft). Delicate lilac. IBERIS. 1 ft. May. \*gibraltarica, \$30 cts. each. Snowball. Big; white. 1 ft. May-June. \*sempervirens. Pure white. 10 in. April-May.

VCARVILLEA. Rich soil in semi-shade.

Delavayi (Hardy Gloxinia). Rose-color. 1½ ft. June.

40 cts. each, \$4 per doz. INCARVILLEA. grandiflora. Deeper pink than above. 1 ft. June. 40
cts. each, \$4 per doz.

\*VULA. Ordinary soil in sun.

\*ensifolia (Swordleaf Inula). Yellow. 8 in. July.
glandulosa. Large; bright yellow. 3-4 ft. July-Aug.

\*Royleana (Blackbud Inula). Showy; orange-yellow.

Rare and choice. 15 in. July. 35 cts. each, \$3.50 INULA. per doz.

### IRISES

(Germanica or Flag Iris)

My collection of over 50 varieties contains the most attractive and interesting Irises that flower in May the most and June.

Named varieties, 25 cts. each, \$2.50 per doz.; mixed, \$1.50 per doz. except where otherwise noted.

S., standards; F., falls.

Admiral Togo. S. white; F. and S. lightly bordered purple. 40 cts. each.

Albert Victor. S. soft blue; F. soft lavender. 35 cts.

each. Alcazar. S. light bluish violet; F. purple with bronze. 75 cts. each.

#### IRIS (Cont'd.)

Archeveque. Deep violet-purple. 60 cts. each.

Asiatica Trojana. S. pale blue; F. violet. 40 cts. each.

Aufernich. F. dark, smoky reddish purple.

Caprice. Rosy red. 30 cts. each.

Celestine. Clear pale blue.

Cherion. Lilac-mauve.

Comte de Claire. Deep violet, margined white.

C. Wedge. S. gray; F. plum, edged with white. 30 cts.

Fairy. S. and F. white. 30 cts. each.

Flavescens. Pale yellow.

Gertrude. Violet-blue. 50 cts. each.

Honorabile. S. golden yellow; F. mahogany-brown.

Isoline. S. silvery lilac; F. mauve. 50 cts. each.

Johan de Witte (Amabilis). S. Pale lilac; F. velvety crimson.

Juniata. Clear blue; fragrant. 50 cts. each.

La Tendresse. Delicate lavender and lilac. 30 cts. each.

Lohengrin. Delicate lavender and lilac.

Lord Salisbury. S. amber-white; F. dark violet-purple. 35 cts. each.

Loreley. S. light yellow; F. ultramarine-blue. 40 cts. each.

Loyalty. Lavender-purple. 40 cts. each.

Mandraliscae. Rich lavender purple. 50 cts. each.

Minnehaha. Cream-white. 75 cts. each.

Mme. Chereau. Pure white, edged with azure-blue.

Monsignor. S. violet; F. purple-crimson. 40 cts. each.

Nibelungen. S. olive-green; F. yellow, purple, and white.

Pallida Dalmatica. Lavender, 30 cts. each.

Pallida odoratissima (speciosa). S. and F. dark lavender. 30 cts. each.

Parisiensis. Fine blue. 30 cts. each.

Perfection. Light blue. 60 cts. each.

Phoenix. Light lavender, yellow markings.

Prestige. Light lavender. 40 cts. each.

Princess Victoria Louise. S. yellow; F. violet-red. 50 cts. each.

Purple King. Dee purple. 30 cts. each.

Quaker Lady. S. smoky lavender; F. blue and gold. 40 cts. each.

Queen Alexandra. S. fawn; lilac, with bronze. 40 cts.

Queen of May. Soft rosy, almost pink.

Radiance. S. silvery mauve; F. velvety purple. cts. each.

Rhein Nixe. S. pure white; F. deep blue. 50 cts. ea. Sambucina. Rich purple. Early. Spectabile. S. and F. deep purple.

Sherwin-Wright. Golden yellow. 50 cts. each.

The Bride. White, shaded lilac.
Trautlieb. Pinkish. 30 cts. each.

White Knight. Clear white. \$1 each.

S. blush-white; F. deeper, to flesh. 75 Wyomissing. cts. each.

\*Iris pumila formosa. Royal blue and purple.

\*Bride. Large; white. 30 cts. each.

\*lutea. Yellow.



Gorgeous iris which embrace a host of delightful shades and help to prolong the Iris season. They follow the German iris in the period of bloom.

Bashu-no-Ten. Gray, veined blue. 75 cts. each. Blue Danube. Blue. \$2.00 each.

Bashu-no-Ten.
Blue Danube. Blue. \$2.00 eac...
Blue Plag. Indigo-blue.
Bride. Maroon, veined white. 50 cts. each.
Double. Pink, spotted and and sprinkled. 75 cts. each.

x Child's Beauty. Creamy yellow. Sold out.

Choseiden. Light purple.

Datedogu. Violet-purple. 40 cts. each.

Dominator. Indigo-blue. 75 cts. each.

Gekka-no-Nami. Double. White, often lavender sheen.

60 cts. each. Gold Bound.

Gold Bound. Pure white. 50 cts. each.
Gomo-no-Umi. Double. Clear white. 40cts. each.
Granite. White, penciled and veined with rose-purple. Granite. White, per 50 cts. each.
Gypsy. Deep pink.

\$1 each.

40 cts. each.

Hano-no-Mio. Mahogany-red; late. 40 cts Hosogawa. Purple with white veinings. Helen von Siebold. Reddish, veined white.

Helen Wells. Single. Amethyst-violet. \$1 each.
Indo. Dark blue. 75 cts. each.
Iso-no-Nami. Soft blue, sprinkled with lavender.
75 cts. each.

#### JAPANESE IRISES (Cont'd.)

Kagarahi, Single, Deep mahogany-red, 50 cts, each,

Koki-no-Iro. Red-nurnle.

Kokirin. White heavily nerved. Late. 40 cts. each.

Sky-blue, veined and splashed white,

Kumo-no-Obi. Layender, white lines.

Kumo-no-Shi. White, edged reddish purple.

Kumo-no-Ue. Blue-lavender, light sheen.

Lavender Queen. Single. Lavender. 75 cts. each.

Mahogany. Mahogany-red. 50 cts. each.

Momiji-no-Taki. Silvery gray, splashed purplish rose. each

Moro-no-Suki. White with purplish sheen. 50c. each. Mt. Fell. Double. White nerved. Late. \$1 each.

Mt. Hood. Double. Purple with blue, toward center orange. \$1 eacn.
Violet-purple.

Nagano. Violet-purple.
Navarre. Purplish blue, nerved darker, white edge. Showy. \$1.50 each.

Neptune. Single. Mahogany-red.
Nightfall. Single. Deep black-blue. \$1.50 each.
Norma. Exquisite silky lavender-pink. 75 cts. each.

Old Rose. A self-color of old rose. 60 cts. each. Ojino Hotaru. Enormous, bright purple flowers with white sheen; extra fine. Latest. \$2 each.
Orion. White with broad border of old-rose.
Osho-Kun. Tyrian-blue.

Oyado. Darkest maroon. Low-growing. 60 cts. each.

Painted Lady. White, suffused and veined pink. \$1 ea. Pink Progress. Ashy gray-lawender. \$1 each. Porcelain Sceptre. White, suffused blue, center pink,

Porcelain Sceptre. White, Sundaged 5.13, 75 cts. each. Prince C. de Rohan. Deepest dark purple. 75 cts. each. Purple and Gold. Violet-purple. Pyramid. Violet-purple, veined white. Rinho. Double. Purple, Sano Watashi. Double. White. 40 cts. each.

Seco-no-Nami. Single. Reddish pur white. Very early. Shadow. Reddish purple. 75 cts. each. Reddish purple, sprinkled

Shimoyo-no-Tsuki. White, speckled violet. Shirataki. Silvery white. Late. 40 cts. each. Shiunryo. Grayish white.

Shokko-Nishiki. Lilac on white. 40 cts. each.

Shuchuka. Crimson-purple.
Shufu-Ruku. Pinkish; showy cloroing. 75 cts. each. Spotted Beauty. White, spotted with rose-lilac. 60

cts, each Sufo-no-Koi. Speckled blue and white. 50 cts. each.

Taiheiraku. Double. Vinous purple.
Templeton. Light violet, mottled pink and white. cts. each.

white. 40 cts. each. Tsuru-no-Kegoromo. White. 50 cts. each.

T. S. Ware. Dark garnet, veined white. Turban. Blue and white. 75 cts. each.

Uchin. Double. Aniline-blue, veined white. 75c. ea. Vase Banri. White, veined blue; blue standards, edged Velvet. Velvety mahogany. 75 cts. each. Victor. White, veined purple, pink center. 60 cts. ea. Yedo-Jiman. Royal blue. \$1 each.
Yomo-zakura. Pale lavender with rosy markings.

75 cts. each.

Zamo-no-Mori. White shaded purple. \$1 each.

Iris, Various.

germanica foliis variegatis. White-str
Flowers light lavender. 75 cts. each. White-striped foliage.

ochroleuca. Yellow. sibirica. Rich blue. sibirica alba. White.

ISATIS. ATIS. Ordinary soil in sun or light shade. glauca (Dyer's Woad). Yellow. 6 ft. June-July.



LIATRIS PYCNOSTACHYA

LAMIUM Sandy soil in light shade.
\*maculatum. A tufty, low plant with variegated foliage. 30 cts. each.

**KNIPHOFIA (Tritoma).** Ordinary soil in sun. mirabilis albida (Torch Lily). Cream-white. each.

each.

Pfitzeri (Everblooming Flame Flower). Red and yellow. 2-3 ft. Aug.-Oct. 40 cts. each, \$4 per doz.

Express. Early-flowering; light yellow later redish. 3 ft. June. 40 cts. each.

Uvaria (aloides). (Red-hot Poker). Bright red and yellow. 3½ ft. Sept.-Oct. Late. 30 cts. each.

yellow. 3½ ft. Sept.-Oct. Late. 30 cts. each. \$3 per doz.

Tucki. Light orange yellow. 3-4 ft. Early June. 40 cts. each.

LATHYRUS. Ordinary soil in sun. latiforlius (Everlasting Pea). Rose. Climber. White, Climber,

avendula. Light soil in sun or semi-shade. vera (Lavender). Aromatic foliage. Lavender blue flowers. 1½ ft. July-Sept. Vera (Munstead Strain). Bushy, heavy summer LAVENDULA.

Vera bloomer. 1 ft. 40 cts. each.

**LEONTOPODIUM.** Well drained soil in sun.

\*alpinum (Edelweiss). Gray foliage and flattened white flowers. 5 in. June-July.

\*sibiricum. White; large. 6 in. June-July.

**LIATRIS.** Ordinary soil in sun. **pycnostachya** (Gayfeather). Light purple.

July-August. 4-5 ft.

clivorum, Orange Queen. Orange. 4 ft. June-Aug. 35 cts. each.
Wilsoniana. Yellow to orange. 4 ft. July-Aug. 50

cts. each.



LILIUM PARDALINUM

# LILIUM. (Hardy Lilies)

auratum macranthum (Gold Banded Lily). Yellow ray on white; spotted. 3-4 ft. 50c and 75c ea.

Batemanniae (Batemann Lily). Clear apricot. 2 ft.
July-Aug. 50 cts.

Batemanniae (Batemann Lily). Clear apricot. 2 ft. July-Aug. 50 cts.
canadense (Canadian Lily). Rich orange, spotted. June-July. 2 ft. 40 cts. each.
candidum (Madonna Lily). White. Fragrant and hardy. 2-3 ft. June-July. 60 cts. each, \$6 per doz.
Hansoni. Orange yellow. 3 ft. \$1.00 each.
Henryi. Golden yellow. 4-5 ft. June-July. \$1.00 ea. longiflorum. Long white flower; scented. 1-2 ft. July-Aug. 50 cts. each.
Martagom (Turk's Cap Lily). Purple. 3 ft. June-July. 50 cts. each.
pardalinum (Panther lily). Orange, spotted crimson. 50 cts. each.

50 cts. each. regale (myriophyllum). 50 cts. each.
regale (myriophyllum). (Royal Lily). Fragrant;
white, canary-yellow at the center. 1-2 ft. JuneJuly. \$1 each.
speciosum album. White. 2 ft. Aug.-Sept. 75 cts. ea.
speciosum rubrum. White, spotted with rosy crimsor.
2 ft. Aug.-Sept. 40 cts. each and up.
superbum. Orange red, spotted purple. 2½ ft. June.

40 cts. each.
tigrinum (Tiger Lily). C
black. 3-4 ft. July-Aug.
tigrinum fl. plena. 30c each. Orange, spotted purplish

**LIMONIUM.** Ordinary soil in sun. latifolium (Bigleaf Sea Lavender). Candelabra-like panicles of minute, purplish flowers. 2 ft. July-Sept.

LINARIA. Ordinary soil in sun or semi-shade. \*Cymbalaria (Kenilworth Ivy). Pinkish Trailer. June-Aug. macedonica. Yellow. 4 ft. July-Sept. 35 cts July-Sept. 35 cts. each.

LINUM. Ordinary soil in sun (Golden Flax). Yel flavum Yellow. 1 ft. 30 cts. each.

perenne (Perennial Flax). Blue. 1½ ft.
perenne album. White. 1½ ft. May-Aug. May-Aug.

LITHOSPERMUM. Well drained soil in sun or light shade.

\*prostratum (Heavenly Blue). A prostrate plant with gentian blue flowers all summer. 75 cts. each.

LOBELIA.

**OBELIA.** Moist soil in semi-shade. cardinalis (Cardinal Flower). Cardinal-red. 3 ft. July-Aug.
siphilitica (Large Blue Lobelia). Blue. 3 ft. Aug.-

Sept.

LUNARIA. Ordinary soil in sun.
annua (biennis) (Honesty). Sweet-scented; purplish. 21/2, ft. June-July.

**LUPINUS.** Sandy soil in light shade or sun. polyphyllus (Washington Lupine). Blue, 3 ft

June-July.
albiflorus. White. albiflorus. White. 3 ft. June-July. 30 cts. each.

--Moerheimi (Pink Lupine). Light and dark rose.
3 ft. June-July. 35 cts. each, \$3.50 per doz.

Harkness Hybrids. Assorted colors. 3 ft. June-July.

30 cts. each.

LYCHNIS.

\*CHNIS. Ordinary soil in sun.
\*alpina (Arctic Campion). Rose. 6 in. April.
chalcedonia (Maltest Cross). Scarlet 2 ft. June-

July.
White. July.

—alba. White. 2 ft. June-July.

coronaria (Agrostemma coronaria. (Mullein Pink).

Silver foliage; crimson flowers. 2 ft. June-July.

Plos-cuculi (Ragged Robin). Pink. 1-2 ft. May-Aug.

Haageana. Orange-scarlet and other shades. 1 ft. May-June. Viscaria splendens flore-pleno (Double Rose-P Campion). Double; crimson. 1 ft. May-June. Rose-Pink

LYCORIS. Ordinary soil in sun.
squamigera (Amaryllis Halli). (Hardy Cluster
Amaryllis). Lily-shaped, delicate lilac-pink flowers.
2 ft. July. \$1 each.

LYSIMACHIA. Ordinary soil in sun.
barystachys (Loosestrife). White. 15 in. Aug.
Portunel. Upright spikes of white flowers. 18 in. Aug. punctata (Spotted Loosestrife). Yellow. 2-3 ft. July-Aug.

YTHRUM. Ordinary soil in sun. Salicaria roseum (Rose Loosestrife). Rose. 2-3 ft. LYTHRUM. July-Aug.

MALVA. Ordinary soil in sun.
Alcea. Pink flowers. 2 ft. July-Sept.
crispa (Early Mallow). Pink and white. 4 ft. June-July. moschata (Musk Mallow). pink. 4-5 ft. June-Sept. Sweet-scented; rose-

MATRICARIA. Ordinary soil in sun.
exima plena (Golden Ball). Yellow; double.
inodora flore-pleno (Scentless False Chamomile).
Double white. 2 ft. June-Sept.

meconopsis. Rich soil in semi-shade.
cambrica (Welsh Poppy). Yellow. 1 ft. JuneAug. 60 cts. each.

MENTHA. Ordinary soil in sun.
piperita (Mint). Used in the kitchen.
rotundifolia (Apple mint). Very strong grower.

MERTENSIA. Leaf mold soil in shade. virginica (Bluebells). Changeable blue. 1½ ft. May-June. 30 cts. each.

MISCANTHUS.

sinensis (Eulalia). Foliage bright green. 4-8 ft.

-gracillimus. Narrow foliage. 3-4 ft. 50 cts. each.

-variegatus. Leaf-blades striped white, green, and often pink. 4-6 ft. \$1 each.

-zebrinus (Zebra Grass). Broad yellow bands across the leaf. 4-5 ft. 50 cts. each.

Ordinary soil in sun. Oswego Tea). Scarlet, scented foliage.

MONARDA. Ordinary soil in sun.
didyma (Oswego Tea). Scarlet,
1½ ft. July-Aug.
—alba. White. 1½ ft. July-Aug.
—rosea. Rose. 1½ ft. July-Aug.
fistulosa (Wild Bergamot) Pur Purple 2-3 ft. July-Aug.

MORINA. Ordinary soil in sun. x longifolia. White to pink. 2½ ft. July-Aug. 40 cts. each. Sold out.

MYOSOTIS.

YOSOTIS. Ordinary soil in shade.
\*dissitiflora (Swiss Forget-me-not). Pale blue. 6
in. May-July. 30 cts. each.
\*scorpioides (palustris). True Forget-me-not. 8 in.

All summer. -Ruth Fischer. Darker blue. 6 in. Summer. 40 cts.

each.

EPETA. Light soil in sun or light shade.
macrantha (Large-flowering Nepeta). Bl
July-Aug. 30 cts. each.
\*Mussini. Mauve-blue. 1 ft., July-Sept. NEPETA. Blue. 2 ft.

NIEREMBERGIA. Ordinary soil in sun.
\*rivularis (White Cup). White. 5 in. June-July-

OENOTHERA. Ordinary soil in sun.

fruticosa (Common Sundrops). Rich yellow. June-Aug

\*missouriensis (macrocarpa). Large; light yellow. 0 in. June-Aug. 35 cts. each. speciosa. White. 1½ ft. Aug. Youngii. Bright yellow. 2 ft. June-Aug.

OMPHALODES. Rich soil in shade.
x longiflora (Navelwort). Blue. Sold out for season.

OPUNTIA. Dry soil in sun.
vulgaris (Prickly Pear). Yellow flower cactus. 30 cts. each.

PACHYSANDRA. Ordinary soil in shade or sun. terminals (Japanese Pachysandra). Trailing plant. Glossy green foliage. 8 in. -variegata. Variegated foliage. 8 in.

-variegata.

### PAEONIA

We offer a large selection of the choicest varieties of these lovely flowers.

Prices, divided roots, strong plants, 50 cts. up. according to the variety. Heavy clumps according to size and variety, except where otherwise noted.

Abobra. Single; wild rose color. 75 cts. each. Alba Superba. Creamy white, center rose. Albatre. Large; creamy white; very free. La Albert Crousse. Shell pink. \$1.00 each. Ambrose Verschaffelt. Dazzling red. Ambrose Verschaffelt. Dazzling r Anemone flore-pleno. Tyrian-rose. Antoine Poiteau.

### PAEONIES—(Cont'd)

Avalanche. Ivory-white. \$1 each.

Bicolor Lemoine.

Baroness Schroeder. White. \$2 each.

Boadica. Yellowish white.

Boule de Neige. White.

Canari. White, yellow center.

Lilac-white with blush center; fra-Charlemagne.

Claire Dubois. Satiny pink. \$1.50 each.

Coquelin. Rose-pink. 60 cts. each.

Delachei. Dark red.

Dorchester. Hydrangea-pink, late. 75 cts. each.

Doyen de Enkhuizen.

Duchesse de Nemours. White. 75 cts. each.

Edulis Superba. Deep rose-pink. 60 cts. each.

elegans. Rose to white.

Eugene Bigot. Brilliant crimson. Late. \$2 each

Felix Crousse. Ruby-red. \$1 each. Festiva Alba. White.

Pestiva Maxima. Best white.

Germaine Bigot. Cameo-pink. \$1 each. Golden Harvest. Nearest to yellow.

Goliath. Single; dazzling red. Hermes. Single; maroon-red.

Jeanne d'Arc. Pale lilac-rose; fragrant.

Karl Rosenfield. Brilliant crimson. \$2 each. Lady Bromwell. Pink.

Lady Lilian Ogle. White. \$1.50 each. Lee's Grandiflora. Rosy red.

Livingstone. Lilac rose, late. \$1.00 each.

L'Illustration. Light rose.

L'Indispensable. Creamy white. Shaded deep pink. 75 cts. each.

Louis Van Houtte. Carmine-rose.

Marie Jacquin. Flesh-white. \$1 each.

Marie Stuart. Clear rose, white center.

Mireille. Milky white. Late. 75 cts. each.

Mme. Breon. White, with shell-pink.

Mme. Calot. Hydrangea-pink, early. 75 cts. each.

Mme. de Verneville. Sulphur-white.

Mme. Forel. Violet-rose.

Mme. Jules Elie. Violet-rose. \$1 each.

Md'lle Desbuisson. Glossy pink. 60 cts. each.

Modele de Perfection. Rose pink, late. \$1.00 each.

Mons. Dupont. Ivory-white. Late. \$1.50 each.

officinalis albo-plena mutabilis. White, later slightly pinkish. \$1.50 each.

officinalis roseo-plena. Pink. \$2 each. officinalis rubro-plena. Crimson. \$1 e Primevere. Creamy yellow. \$4 each. Reine Hortense. Old rose. \$1.50 each. Rose d'Amour. Hydrangea-pink. Crimson. \$1 each.

Rothschild. Pink.

R. P. Whitfield. Flesh. Very late. \$1 each.

Rubra Triumphans. Bright carmine.

Sarah Bernhardt. Apple blossom-pink. Strong grower. \$1.50 each.

Solfatare. Sulphury yellow to creamy white.

Souv. de l'exposition Universelle. Silvery rose. 75c ea.

Suzette. Rose-pink. \$2 each.

Thorbecki. Reddish pink.

Welcome Guest. Silvery pink. \$1.00 each.

Zoe Calot. Rose color.

**PAPAVER.** Well drained soil in sun. \*alpinum (Alpine Poppy). White.

8 in. June-July. each.

Salmon-red flowers. 30 cts. each. rupifragum.

orientale (Oriental Poppy). Orange-scarlet. June-July. Duke of Teck. Brilliant red. 2-3 ft. June-July. 40

cts. each.

Gerald Perry. Apricot-pink. 2-3 ft. June-July.

40 each.

Goliath. Enormous; scarlet. 2-3 ft. June-July. 40

cts. each.

Grand Mogul. Rich red. 50 cts. each. Joyce. Cerise; distinct. 2-3 ft. June-July. 35 cts. ea. Lord Lambourne. Fringed orange. 2-3 ft. June-July. 50 cts. each.

Mahogany. A Mahogany-maroon. 2-3 ft. June-July.

Mrs. Perry. Orange-apricot. 2-3 ft. June-July.

cts. each.

Olympia. Scarlet-red; semi double. 50 cts. each.

Oriflamme. Rich orange-scarlet. 40 cts. each.

rry's White. Satiny white with a crimson-maroon.

blotch. 2-3 ft. June-July. 60 cts. each.

rincess Victoria Louise. Light pink. 2-3 ft. June-Perry's

Princess

July, 50 cts. each.

Royal Scarlet. Deep scarlet. 50 cts. each.

PENNISETUM. Ordinary soil in sun.

alopecuroides (japonicum). (Fountain Grass.

Narrow foliage; bronze-purple, cylindrical Grass.) 3 ft. heads.

PENTSTEMON. Light soil in sun.
acuminatus (Stiff Pentstemon). Violet-blue. 2-3 ft.
35 cts. each.
Aiffranc (Bushy Pentstemon). Violet-blue. 2 ft.

(Bushy Pentstemon). diffusus Violet-blue. 2 ft. June-July.

gordonii splendens. Dark blue. 21/2 ft. July. 50 cts. each.

grandiflorus. Metallic blue foliage; purple flowers. 3 ft. July. 30 cts. each. hirsutus (pubescens). (Eastern Pentstemon.) Rosy purple. 15 in. July. (Eastern Pentstemon.) Rosy

laevigatus Digitalis (Foxglove Pentstemon). Purplish white. 2½ ft. July.
\*ovatus Douglasi. Bright blue. 12 in. July. 50 cts. Bright blue. 12 in. July. 50 cts.

each. Torreyi (Chelone barbata). Scarlet. 3 ft. June-July. PHALARIS. Ordinary soil in sun. arundinacea variegata (Ribbon Grass). Variegated

foliage.

PHLOMIS. Ordinary soil in sun.

tuberosa (Jerusalem Sage). Purple. 2½ ft. June-Aug.

viscosa (Russeliana). Yellow. 3 ft. June-Aug.

## PHLOX

40 cts. each. \*-Laphami. Lavender-\*amoena. Bright pink. 4-6 in. April-May.

\*divaricata (canadensis). Fragrant; lav-ender. 10 in. May.

30c ea.

31ba. White. 10 in.

May.

— alba grandiflora.

White variety; valuable. 12 in. May. trusses. 1-2 ft. Aprilblue. 12 in. May. 40 cts. each.

glaberrima suffruticosa, Alfa. Pink. 3 feet. — Dr. Hornby. White, with pink, crimson center. 2 ft. April-May. 35 cts. each. —Indian Chief. Lay-



#### PHLOX (Cont'd.)

- paniculata, Astrild. Clear red.

  —Baron von Dedem. Cochineal-red.

  —B. Comte. Satiny amaranth. 40 cts. each.
  —caerulea nana. Blue.

  —Camillo Schneider. Deepest French purple. 75c ea. Commander. Crimson, red eye, does not fade.
  - 50 cts. each.

    Comte von Hochberg.
    blooms. 35 cts. each. Very large, dark crimson

- Comte von Hochberg. Very large, dark crimson blooms. 35 cts. each.
  Coquelicot. Orange-scarlet. 50 cts. each. Showy.
  Debs. Crimson. Showy. 50 cts. each.
  Elizabeth Campbell. Light salmon-pink. 50c each.
  Eringe. Light blue.
  Eugene Danzanvilliers. Lilac-blue. 30 cts. each.

  - -Europe. White with crimson-carmine eye. 30c ea.

- Europe. White with crimson-carmine e.
  Fernando Cortez. Red, striped lighter.
  Frau Anton Buchner. White.
  General Van Heutz. Fiery salmon-red.
  Goliath. Deep pink, late. 30 cts. each.
  Guffenkoenigin. Pink eye. 30 cts. each.
  Independence. White.

Guffenkoenigin. Pink eye. 50 cts. ctch.

Independence. White.

Iris. Purple. 40 cts. each.

Isabey. Salmon-red.

Jules Sandow. Rose pink. 40 cts. each.

Johnson's Favorite. Salmon. 50 cts. each.

Josephine Gerbeaux. White, cherry-red eye.

La Vague. Mauve, aniline-red eye.

Lumineux. Carmine and rose.

Maid Marian. Best lavender. 35 cts. each.

Mme. Pape Carpentier. White.

-Mrs. M. von Hoboken. Soft pink; large. 40 cts. each. -Mrs. W. Jenkins. White.

-Mrs. -Pantheon. Brilliant rose.

-Peachblossom. Beautiful blush pink. 35 cts. each. -R. P. Struthers. Brilliant rosy red. -Special French. Peculiar shade of pink.

Thebaide. Carmine.

each. white center. 30c ea.

The baide. Carmine.
Thor. Rich salmon-pink. 30 cts. each.
Vidar. Bright reddish violet, white co.
W. C. Egan. Soft pink. 30 cts. each.
\*subulata alba (Moss Phlox). White.
\*—lilacina (Moss Phlox). Clear lilac.
\*—rosea (Moss Phlox). Pinkish red.

Named varieties, except where otherwise noted, 25 cts. each, \$2.50 per doz.; mixed varieties, \$1.50 per doz.

**PHYSALIS.** Ordinary soil in sun. **Francheti** (Ground Cherry). Brilliant orange-scarlet seed-vessels or "lanterns." 2 ft. April-May.

**PHYSOSTEGIA.** Ordinary soil in sun. virginiana (Virginia False Dragonhead). Pink. 2-3 ft. May-June.

alba. White. 2-3 ft. May-June. gigantea. Tall; deep pink. 5-6 ft. June. Vivid. Deep pink. Low. 1½ ft. May-June. 40 cts. each.

**PLATYCODON.** Ordinary soil in sun. grandiflorum (Balloon Flower). Deep blue. 1-2 ft.

June-July.

followed by

PODOPHYLLUM. Acid soil in shade.
peltatum (May Apple). White flowers,
 yellow, edible fruit. April-May. 8 in

POLEMONIUM. Ordinary soil; light shade. caeruleum (Greek Valerian). Blue. ½ ft.—album. White. 1-1½ ft. May-June.—himalayanum. Sky-blue. 2 ft. June-A ½ ft. May-June. June-August.

POLYGONUM. Leafmold soil in light shade.

affine (Brunonis). (Himalayan Fleece Flower.) Pink.

10 in. Aug. Sept. cuspidatum (Sieboldi). Creamy white flowers. ft. Aug.-Sept.



#### PRIMULA ACAULIS

POTENTILLA.

OTENTILLA. Oridnary soil in sun. \*atrosanguinea (Himalayan Cinquefoil). Red. 18 in. June-Aug.

californica. Double; yellow. 2 ft. July-Aug. cts. each.

2 ft. July-Aug. 30 nepalensis (formosa). Rust red. cts. each.

purpurea. Dark red. \*Tonguei. Shading o d. 1-2 ft. July-Sept. 30 cts. ea. of yellow-orange. 6-8 in. July-30 cts.

orange. 50 cts. each.

Obtush Double; mahogany; suffused

Ordinary soil in sun. Burnet). White and rose. 2 ft. July-Sept.

### **PRIMULA**

Hardy primroses are one of the most charming and delightful spring flowering plants for either the rock garden or as edgings to the perennial borders. A cool moist soil in semi-shade suits them best.

\*acaulis (English Primrose). Showy and fragrant. 6 in. April-May.

\*coerulea. A rare variety which comes in exquisite shades of blue. 6 in. April-May. 60 cts. each. -\*fi. plena alba. An extremely choice and very rare type with double white flowers. 6-8 in. April-May. \$1.00 each.

-fl. pl. lilacina. Another rare gem with double lavender flowers. Very choice. 6-8 in. April-May. \$1.00 each.

-\*Auricula. Most attractive combination of colors. Beesiana Light. 40 cts. each. —fl.

\*Beesiana. Light purple. 35 cts. each.

\*Bulleyana. Red-orange-buff. June-July. 35 cts. ea.

\*cortusoides. Red. 12 in. June-July. 30 cts. each.

\*denticulata cashmeriana. Purplish lavender. Extremely early. 12 in. March-April. 35 cts. each. \*denticulata cashmeriana.

tremely early. 12 in. March-April. 35 cts. each, \$3.50 per doz.

\*japonica. One of the best. Pyramids of rich-colored flowers. 18 in. June. 30 cts. each.

x\*Poissoni. Rich purple. 15 in. June-July. Sold out.

x\*sikkimensis. Yellow. 18 in. June. Sold out.

\*Veitchl. Rosy purple. 15 in. June-July. 50 cts. ea.

\*veris suaveolens. Yellow. 9 in. May-June. 30

cts. each.
\*veris (officinalis). (Cowslip Primula.) A strain with a wide range of colors. 12 in. June-July.

PRUNELLA. Moist soil in shade.

\*superba rosea (Self Heal). Pink. 1 ft. July-Aug.

PULMONARIA. Ordinary soil in sun.

\*angustifolia (Cowslip Lungworth). Deep gentianblue. 12 in. April-May. 35 cts. each.

saccharata (Bethlehem Lungworth). Foliage blotched
and speckled white; flowers pink. 12 in. June-July.

40 cts. each.

PYRETHRUM. Rich soil in sun.

roseum f. pl. (Chrysanthemum coccineum). Beautiful double flowers in many choice shades. 2 f June-July. \$1.00 each.

ANUNCULUS. Ordinary soil in sun or light shade.
acris flore-pleno (Buttercup). Double; light yellow
18 in. May-June.
repens flore-pleno. Creeping; yellow; double. 10 in.
May-June. RANUNCULUS.

RHEXIA.

HEXIA. Ordinary soil in sun.
virginica (Common Meadow Beauty). R.
with golden anthers. 15 in. July-Sept. Rosy purple

RODGERSIA. Moist peaty soil in shade. podophylla (Bronzeleaf). Ornamental white flowers. 2 ft. July-Aug. Ornamental leaves and

ROSMARINUS. Ordinary soil in sun.

Yields an aromatic oil. Old

fashioned herb.

RUDBECKIA. Rich soil in sun.

maxima (Great Coneflower). Bluish metallic foliage; yellow flowers with long, black cone. 5 ft. June-Sept.

laciniata, Golden Glow. Golden yellow; double.

ft. June-Sept. speciosa (Newmanni). (Show 2-3 ft. July-Oct. (Showy Coneflowers.) Orangeyellow. 2-3 ft. July-Oct.
subtomentosa (Black-eyed Susan). Br
with brown disk. 2½ ft. Aug.-Sept.

RUMEX Ordinary soil in sun.
patientia (Sorrel). Used in the kitchen. Bright yellow,

patientia (Sorrel). Used in Sun.
graveolens (Rue). Yellow flowers; entirely aromatic.

SALVIA. Ordinary soil in sun.
argentea (Silver Sage). Large, white, woolly leaves;
light bluish flowers. 2-3 ft. June. 30 cts. each.
azurea. Light, sky-blue 4-5 ft. Aug.-Sept.
orandiflora (Pitchert). Deep blue; large.

azurea. Light, sky-blue 4-5 ft. Aug.-Sept.
azurea grandiflora (Pitcheri). Deep blue; large.
late. 4-5 ft. Sept.-Oct 40 cts. each.
farinacea (Mealy-cup Sage). Whorls of spikes of blue
flowers. 2½ ft.
globosa. White, woolly foliage.
officinalis (Garden Sage). Used for culinary pur-

poses

June-Aug. poses.
pratensis. Dark blue. 2 ft. June-Aug.
Sclarea turkestanica. Green, woolly foliage; l
bluish white flower-bracts. 3 ft. July.
virgata nemorosa. Light blue. 3 ft. May-June.

\*\*SANTOLINA. Ordinary soil in sun.
\*\*Chamaecyparissus (Lavender Cot silvery white leaves. 15 in. Cotton). Evergreen:

Ordinary soil in sun.
(Pack Scanwort). Trailing. Rosy flowers. 6 in. May-June. officinalis (Bouncing Bet). White to rose-pink. 2 ft. July.

SATUREIA. Ordinary soil in sun.
montana (Savory). Purple. 8 in. June-July.

SAXIFRAGA. Ordinary soil in sun.
\*crassifolia (Megasea). (Leather Saxifrage.) Pink
\*Himalaica. Pink; later.
\*Macnabiana. White, spotted. 35 cts. each.
\*Umbrosa (London Pride). Pink flowers. Requires
shade. 35 cts. each.
\*H. S. Stokes (Mossy). Rich red. 50 cts. each.
\*Pyramidalis (cotyledon). Large leaf rosettes, white
flowers. 50 cts. each.

SCABIOSA. Rich sail in sun.

SCABIOSA.

CABIOSA. Rich soil in sun.
caucasica (Blue Bonnet). Lavender. 18
Sept. 35 cts. each.
—alba. White. 18 in. June-Sept. 35 cts.
japonica. Lavender-blue. 2 ft. July-Sept. 18 in. Junects. each.

SCILLA excelsior. Mixed colors; 20c ea.; \$2.00 doz.

\*baicalensis (Skullcap). Blue flowers in 12-15 in. July-Aug. 30 cts. each. flowers in late sum-

\*\*SEDUM. Ordinary soil in sun.

\*\*acre (Gold Moss). Bright yellow. 4 in. May-June.

\*\*album (White Stonecrop). White 4-6 in. July-Aug.

\*\*anglicum. White. 3 in. June-July. 30 cts. each.

\*\*Anacampseros (Shy Stonecrop). Low; light green



SAXIFRAGA (Megasea)

SEDUM-

-(Cont'd) White. 2 in. \*dasyphyllum. Light pink. June-July. 35 cts. each. \*Fabaria. Narrow variegated leaves; pink flowers.

35 cts. each. \*japonicum. Yellow 8-10 in. July-. \*kamschaticum (Orange Stonecrop). July-Aug. Golden yellow.

8 in. July-Aug.

\*Lidium. Crimson-tinted foliage in autumn. 3 in. July.

\*Maximowiczi (Amur Stonecrop). Yellow. 10 in. July.

\*Middendorffianum. Yellow. 30 cts. each.

\*oppositifolium (Two-Row Stonecrop). White. 6 in.

July.

July.

\*oregonum. Distinct. emerald green foliage.
June-July. 30 cts. each.

\*Pruniatum. Pale yellow, frosted. 30 cts. each.

--\*Fosterianum. Very distinct. Gray-purple fo Gray-purple foliage. 30 cts. each. \*reflescum. Yellow. 4-6 in. July. Fine carpeter.

cts. each.
\*Sieboldi. Light pink. 8-10 in. Sept.
\*Replesiana. Upright growing. 25 cts. each.
\*Rupestre. Yellow. 25 cts. each.
\*Soxangulare. Bright green leaves, six-angled; yellow flowers.

spectabile (Showy Stonecrop). Rosy pink. 12-15 in. Sept.

spectabile atropurpurea (Purple Showy Stonecrop. 12-15 in. Aug.-Sept. 40 cts. each. spectabile foliis variegatis. Yellow variegated foliage.

spectabile folis variegame.

12-15 in. Aug. Sept.

\*stoloniferum (spurium). (Running Stonecrop.) Pink.

6-8 in. July-Aug.

\*stoloniferum coccineum (Scarlet Running Stonecrop). Carmine. 6-8 in. July-Aug.

pinkish flowers. Running Stone-

\*stoloniferum coccineum
crop). Carmine. 6-8 in. July-Aug.
\*undulatum. Creeping, pinkish flowers.
\*tenuifolium. White.

SEMPERVIVUM. Well drained soil in sun.
\*tectorum (robustum). (Roof House-Leek.)
rockeries. 2 in. Forms cactus-like rosettes
\*globiferum. Compact, light green, distinct. 35
SENECIO. Ordinary soil in sun.
pulcher (Uruguay Groundsel). Rosy purple. 2
July-Aug. 35 cts. each.
Veichianus. Yellow. 3-4 ft. July-Aug. 50 cts.
\$5.00 per doz. 35c ea.

Rosy purple. 2-4 ft.

Veichianus. Yenov... \$5.00 per doz. \$5.00 per doz. \$SIDALCEA. Ordinary soil in sun. candida (White Prairie Mallow). Pure white. 21/2 ft. July-Aug. 35 cts. Sase Queen. Rose-pink. 4-5 ft. July-Aug. 35 cts.

each.

SILENE. Well drained soil in sun.

\*alpestris (Alpine Catchfly). White. 4-6 in. May-June.

\*maritima. White. 6 in. May-June. 40 cts. each.

\*Schafta. Bright pink. 6 in. July-Sept. 30 cts. ea.

SILPHIUM. Ordinary soil in sun.

perfoliatum (Rosinweed). Yellow. 6-8 ft. July-Aug.

SISYRINCHIUM. Ordinary soil in sun.

angustifolium (bermudianum). (Blue-eyed Grass.)

Blue flowers on tops of grass-like foliage. 1 ft.

May-July.

SOLIDAGO. Ordinary soil in sun.

missouriensis. Sulphur-yellow. 3-4 ft. Aug.-Sept.

missouriensis. Sulphur-yellow. 3-4 ft. Aug.-Sept.

STACHYS. Ordinary soil in sun.
grandifiora (Betony). Pink; snowy. 12 in. June-July.
lanata. Woolly, silvery white foliage: purple flowers.
STATICE. Well drained soil in sun.
Common Thrift). True. Rose. 3-6 in. May-

\*cephalotes rubra (Sea-pink). 12-18 in. June. 35c ea. \*pseudo-armeria (Armeria formosa). (False Thrift.) Bright rose-pink. 12-15 in. June.

Bright rose-pink. 12-15 in. June.

STENANTHIUM. Moist, cool soil in shade.
robustum (Feather Fleece). Showy white. fleecy flowers. 3-4 ft. July-Aug. 35 cts. each.

STOKESIA. Rich soil in sun.
laevis (cyanea). (Stokes' Aster.) Lavender-blue. 1-2 ft. July-Sept.
—alba. White. 1-2 ft. July-Sept.
—rosea. Pink. 1-2 ft. July-Sept. 50 cts. each.
x lutea. Yellow. Sold out for season.

TANACETUM. Ordinary soil in sun.
vulgare (Common Tansy). Useful as herbs.
TEUCRIUM. Ordinary soil in sun.
Chamaedrys (Germander). Purple. 1-2 ft. July-Sept. 30 cts. each.

THUCRIUM.

Chamaedrys (Germander). Furpo.

30 cts. each.
orientale (Eastern Germander). Blue. 50 cts. each.
THALICTRUM. Ordinary soil in light shade.
aquilegifolium (Columbine Meadow Rue). White and pink. 2-3 ft. May-July.
dipterocarpum (Yunnan Meadow Rue). Distinct. Violet-mauve, brightened with lemon-yellow stamens and anthers. 4 ft. Aug.-Sept. 40 cts. each.
glaucum. Glaucous foliage; bronze-yellow flowers.

1. Lune-July.

1. Lune-July.

2 ft. June-July.
flavum. Yellow. 3-4 ft. July-Aug.
\*minus (Low Meadow Rue). Greenish yellow. 1-2 ft. June-July

THERMOPSIS. Ordinary soil in sun. caroliniana. Yellow. 3-4 ft. June-July. 35 cts. each. THYMUS. Well drained soil in sun. \*Serpyllum (Thyme). Dark green foliage. 6 in. Fine

ground cover aureus. Golden variegated foliage. 6 in. Charm-

ing. \*—coccineus. Dark green foliage; red flowers. 6 in. \*—lanuginosus (Woolly-leaved thyme). 6 in. Choice. vulgaris. Used in the kitchen. 9-12 in.

TIARELLA. Cool soil in shade.
\*cordifolia (Heart-leaved Foam-flower). 6-8 in. May. 35 cts. each. purpurea major (Foam Flower). Bright foliage; sal-

mon-red flowers. 15-18 in.

TRADESCANTIA. Ordinary soil in sun.

virginiana (Virginia Spiderwort). Blue or violet. 2 ft.

virginiana (Virginia Spiderwort). Blue or violet. 2 It. July-Sept.
—alba. White. 2 ft. July-Sept.
—coccinea. Red. 2 ft. July-Sept. 30 cts. each.
TRITONIA (Montbretie). Ordinary soil in sun. aurantiaca. Deep golden yellow. crocosmaeflora. Scarlet and yellow.
Hybrids. New. Big-flowering, mixed. 20 cts. each, Hybrids. Ne \$2 per doz.

\$2 per doz.

Pottsi. Orange-scarlet.
speciosa. Yellow with red.
All Tritonias, 10 cts. each, 80 cts. per doz.,
except where otherwise noted.

TROLLIUS. Rich soil in semi-shade.
The trollius or (Globe Flower) is a very cha

The trollius or (Globe Flower) is a very charming plant and gives a wealth of bloom with little care. They should be planted in masses for best effect.

-Canary Bird. Pale yellow. 1-1½ ft. May-June.

June —Salamander. Dark yellow. 1-1½ ft. May-June. europaeus. Large; lemon-yellow. 1-1½ ft. May-Aug.—superbus. Pure yellow. 1-1½ ft. May-Aug. Excelsior. Orange-red. 2 ft. April-June. 50 cts. ea Golden Annette. Yellow. 1½ ft. May-June. Orange Globe. Golden orange. 2 ft. May-June. May-Aug.

50 cts. each.

cts. each. Orange Princess. Deep orange. 2 ft. May-June.

cts. each.
ledebouri. Orange flowers, late. 2½ ft. \$1.00 each.
All Trollius are 35c each, \$4 per doz.,
except where otherwise noted.
Collection of 6 varieties of Trollius, two of each,

our choice, \$4.

TUNICA. Light, well drained soil in sun.

\*Saxirraga (Tunic Flower). Pink. 6 in. July-Sept.

\*—alba. White. 6 in. July-Sept.

\*—rl. pl. Double pink. 35 cts. each.

UNIOLA. Ordinary soil in sun.
latifolia (Spike Grass). Drooping panicles of ornamental flat heads. 2-3 ft.

VALERIANA. Ordinary soil in sun.
officinalis (Garden Heliotrope). Rose-pink strong

valeriana. Ordina valeriana. Ordina valerianalis (Garden

valeriana. Ordinary soil in sun.
officinalis (Garden Heliotrope). Rose-pink strong
odor. 4 ft. June.
verbascum. Ordinary soil in sun.
longifolium pannosum (Golden Gate Mullein). Purple
and other shades. 3-4 ft. July-Sept.
olympicum. Yellow. 6-10 ft. July.
thepsiforme (densifiorum). Yellow. 4-5 ft. July-Sept.
30 cts each

each.

VERONICA. Ordinary soil in sun.
\*Incana (Woolly Speedwell). Silvery gray foliage and dark violet-blue flowers. 1 ft. July-Aug.
\*gentianoides (Gentian Speedwell). Violet. 9 in. May-

30 cts. each.

longifolia subsessilis (Clump Speedwell). Intense lustrous blue. 2 ft. Aug.-Sept. 30 cts. each, \$3 per doz. \*repens (Creeping Speedwell). White and blue. 2 in. Intense lus-May-June

May-June.

spicata (Spike Speedwell). Blue. 1½ ft. July.

-alba. White. 1½ ft. June-July.

-Blue Ridge. Dark blue. 1½ ft. June-July. 30c ea.

-rosea. Rose. 1½ ft. June-July.

\*Teucrium rosea. Dwarf: light pink. 6 in. May-June.

VINCA. Ordinary soil in light shade.

major (Bigleaf Periwinkle). Green leaves; blue flow-

Creeper.

Silvery variegated foliage. Creeper. variegata. 35 cts. each. ninor. Evergreen trailer; much smaller leaves than \*minor.

"V. major."

VIOLA. Best in rich soil; li
\*cornuta (Tufted Pansy). soil; light shade. Pansy). True. I Dark blue. 10 in.

June-Aug. 30 cts. each. -Admiration. Soft blue. 9 in. June-Aug. June-Aug.

\*—Admiration. Soft blue. 9 in. June-Aug.
\*—alba. White. 9 in. June-Aug.
x\*—Halsmere. Pink. 9 in. June-Aug. Sold out.
\*—Jersey Gem. Pure violet. Blooms all season. 9 in.
35 cts. each.
\*—Papilio. Violet with dark eye. 9 in. June-Aug.
\*Intea. Bright yellow. 9 in. May-Aug.
\*odorata alba. White, fragrant. 3-6 in. June.
\*—odorata rosea. Pink. 30 cts. each.
\*—flore-pleno. Violet. True. Double. Fragrant. 9 in.

June. \*—flore-pleno alba. White. Double. 9 in. June. \*—Gov. Herrick. Sweet-scented; clear shade of blue. S in. June.

\*tricolor (Pansy). Best of colors and sizes at market

\*tricolor (Pansy).
price.

YUCCA. Well drained soil in sun.
filamentosa (Adam's Needle). Sword-like foliage;
spikes of cream-white, fragrant flowers. 4-6 ft.
June-July. 25 cts. to \$1 each.
filamentosa variegata. Yellow and green striped foliage. 4-6 ft. June-July. 31 each.

ZEPHYRANTHES. Cool soil in light shade.
Atamasco (Atamasco Lily; Fairy Lily). Pink and

## ANNUALS AND BEDDING PLANTS

ANNUALS AND BEDDING PLANTS
In addition to my complete list of perennials and rock
plants, I also grow a very large variety of annuals and
bedding plants. These will be found most useful and
effective in beds and borders, to supplement the feast
of summer bloom in the home grounds. These are available—as long as they last—at lowest market prices.
Among them are—Ageratum, Begonia, Calendula, Centaurea, Chinese Asters, Chrysanthemum, Cobaea, Cosmos, Geranium, Heliotrope, Lantana, Lobelia, Lemon
Verbena (Aloysia), Marguerites, Marigold (tall and low,
or French). Salpiglossis, Salvia, Scabiosa, Summer Ivy,
Verbena, Vinca variegata from pots, Zinnia in colors or
mixed, and many others.

All Bedding Plants here mentioned and those not mentioned have been at least once transplanted and grown
in coldframes to insure their hardiness.



LUPINUS POLYPHYLLUS

A.M. \* L'ANDSCAPE WORK

MENT

MAR

retar

PE

41/1990

A life time experience—in all about 40 years—in laying out and remodelling of estates in America, as well ascapical has given me a profound knowledge of the artistry and requirements for work of this kind. I have also received many awards for garden models at different exhibitions, amongst which were two FIRST PRIZES for miniature models at the First International Flower Show, Grand Central Palace, New York City, 1913 1913.

Our expert advice will assure satisfactory results.

## ADDITIONAL UNCATALOGUED VARIETIES

WARILIES

Besides the galaxy of delightful and exquisite plants mentioned in the foregoing lists, I am constantly trying out many additional varieties for hardiness as well as other merits. The quantities of these, available, are limited and do not warrant listing. In this newer and rare collection you may find some rare favorites you may be anxious to obtain and if you will kindly let me know your wishes, giving some indication of your requirements, it is not only possible, but probable, I may have the desired plants to complete the enjoyment of your "Garden of Desire."

LOCATION. Our Nursery is located on main Boston Post Road 1½ miles east of Madison, or 3 miles west of Clinton, on the edge of State Park (Shore).

VISITORS. I am always glad to welcome visitors who are interested in hardy plants. The flowering season starts with the opening of spring and continues until late fall, when a strong frost generally destroys the last of the very late-flowering plants.

### CUT-FLOWERS

All through the season you will find a large assortment of flowers suitable for cut-flowers. Many of them are from very rare varieties. Try some. Prices moderate.

FRANK JOSIFKO Madison, Conn.